AVENGER

DAYLIGHT™

CINE SUPPORT
SOLUTIONS

Key to symbols

Minimum Height

Maximum Height

Closed Length

Footprint Diameter

Weight

Spigot Size

Socket Size

Grip Head Size

Top Tube Diameter

Suggested Wheels

Maximum Evenly Distributed Load on Level Ground

Patented

German Safety Standard

The products with the TÜV-GS symbol are developed and tested in accordance with DIN 15560 norm.

B CB J

Ordering
Products may be ordered by using the product code together with its title. Optional Black (B) finish, Black Chrome (CB) finish, and 17mm female attachment (J) versions are available where indicated. Add B, CB, or J to the product code when ordering.

i.e.

A2025F CB J

Lighting Stand don't fall inside the European directive 98/37/CE and for this reason they don't need "CE" mark

All Avenger products are designed, engineered and made in Italy

AVENGER



AVENGER: A BOUNDLESS SYSTEM FOR ANY SET DRIVEN BY OUT OF THE BOX THINKING AND STREET FIGHTER INGENUITY

The AVENGER brand was born 20 years ago, answering to the need of the photo and cine market of having a boundless product for any set. Product quality is the hallmark of this range, which can withstand extreme use, rough atmospheric conditions, very high stress and heavy loads. All products have been designed under the supervision of the most demanding film grippers to match the strict quality standards and performance needs of the motion picture industry.
The result is a complete range of inexhaustible articles that praises some of the most famous products in the cine market: such as the Super Clamp, the Wind Up Stand and the Magic Arm, worldwide famous for their efficiency, ease of use, and reliability. In just one word: all the

Avenger gear truly represents the concept of “problem solver”. Today Avenger is part of the Vitec Group, a multi-national company listed in London Stock Exchange that supplies the best products and services for the photo/cine and entertainment area, such as Manfrotto, Gitzo, Vinten and Sachtler. Safety for everyone is a top priority for Avenger. Our world class research and development team meticulously work to satisfy all the DIN15560 international safety regulations also obtaining certifications such as the TÜV-GS, ISO9001 and ISO14001. Avenger is also proud to be present worldwide with a capillary distribution net, offering a top quality service both before and after sales, supporting the clients from the right choice of the product until providing every single spare part needed. What better way to celebrate the 20th anniversary, than a brand new catalogue presenting some of the newest products that will be added to the already rich and complete range of Avenger products and a new dedicated website, www.avenger-grip.com, featuring all the product news, and with much information and curiosities on the Avenger world.

PRODUCTS

STANDS	8	LIGHT CONTROL	40
SYSTEMS	50	ACCESSORIES	78

STANDS



The Avenger stand range includes several product families, featuring different designs and materials depending both on the applications they are intended for and on the light type they have to support.
These supports have been designed to be both safe and reliable.
For that reason, all materials are top quality and are tested in order to withstand extreme uses in all weather conditions.

Aluminum and Steel versions available. Alu Stand for lightness and steel stand for robustness and durability.

Leveling leg available in all the stands for ease of use on all different floor types. A fundamental feature for outdoor applications.

All the components are assembled using bolts (no rivets) for extra rigidity and easy maintenance if required.

Captive handle: thanks to this special machining on the threads, it is impossible to loose the handle even if completely unscrewed.

Captive collars: thanks to a special design, even if the user unscrews the locking nut, of this component the inner alu insert and dedicated machining of the tube does not allow for the column to separate.

Storing Device: this clever component permits easy and safe storage during transportation or in the warehouse.



Mobile Column: thanks to the double handles on the spider casting, the stand becomes more stable when lowering the central column on to the ground.

Dedicated design of the collars.
This feature helps to avoid fingers from getting pinched.

All the bases are made of square tubes in order to guarantee the best stability.

All the aluminum columns are assembled using electro-welded tubes. These components offer a higher stress resistance (bending and breaking) compared with the traditional extruded tubes.

All the strategic aluminum components which have to guarantee safety of the product are made using the Gravity Casting technology. This process excludes any possibility of having air bubbles getting into the casting.

Welded spigot (steel version) guarantees the highest mechanical performance and reliability during the products working life.

CODE REFERENCES

A 10 45 CS

stands type	stands family	maximum height	material and attachment
A Standard Collars	00 Baby	(45 → 4,5m)	CS Chrome Steel
B Wind Stand	10 Combo		B Alu Black
	20 Century		X Inox
	30 Overhead		CB Chrome Black Steel
	40 Boom		J Japanese attachment
	50 Roller		
	60 Wind Up		
	70 Strato Safe		

CENTURY **STANDS**

KIT

A2033FKIT

40" CENTURY STAND KIT

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

includes:
A2033F C-STAND
D200 2" GRIP HEAD
D520 40" EXTENSION GRIP ARM

A2033LKIT

40" CENTURY STAND KIT W/SLIDING LEG

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

includes:
A2033L C-STAND
D200 2" GRIP HEAD
D520 40" EXTENSION GRIP ARM

A2030DKIT

40" CENTURY STAND KIT W/DETACHABLE BASE

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

includes:
A2030D C-STAND
D200 2" GRIP HEAD
D520 40" EXTENSION GRIP ARM

A2018F (REPLACES A255S) **CB**

20″ CENTURY STAND

33.1in | 68.9in | 33.1in | 37.4in | 9.5lbs | 17.6lbs | 16mm 5/8″

Chrome plated steel stand.
3 sections, 2 risers.
Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2025F (REPLACES A235S) **CB**

30″ CENTURY STAND

43.3in | 99.6in | 43.3in | 37.4in | 10.6lbs | 22lbs | 16mm 5/8″

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2033F (REPLACES A205S) **CB**

40″ CENTURY STAND

52.8in | 129.1in | 52.8in | 37.4in | 12.1lbs | 22lbs | 16mm 5/8″

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

STANDARD BASE

A2018F

A2018L

SLIDING LEG

A2018L (REPLACES A256S) **CB**

20″ SLIDING LEG CENTURY STAND

33in | 68.9in | 33.1in | 37.4in | 9.5lbs | 17.6lbs | 16mm 5/8″

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2025L (REPLACES A245S) **CB**

30″ SLIDING LEG CENTURY STAND

43.3in | 99.6in | 43.3in | 37.4in | 12.8lbs | 22lbs | 16mm 5/8″

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2033L (REPLACES A215S) **CB**

40″ SLIDING LEG CENTURY STAND

52.8in | 129.1in | 52.8in | 37.4in | 12.1lbs | 22lbs | 16mm 5/8″

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

CENTURY **STANDS**

A2016D

DETACHABLE

A2016D (REPLACES A257S) **CB**

20" DETACHABLE CENTURY STAND BASE

26.8in | 54.7in | 33.1in | 37.4in | 4.8lbs

22lbs | 28mm 1" 1/8 | 16mm-5/8" 28mm-1" 1/8

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2022D (REPLACES A247S) **CB**

30" DETACHABLE CENTURY STAND BASE

43.3in | 87.4in | 43.3in | 37.4in | 5,9kg

22lbs | 28mm 1" 1/8 | 16mm-5/8" 28mm-1" 1/8

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2030D (REPLACES A225S) **CB**

40" DETACHABLE CENTURY STAND BASE

52.8in | 118in | 52.8in | 37.4in | 13.6lbs

22lbs | 28mm 1" 1/8 | 16mm-5/8" 28mm-1" 1/8

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2014

A2009

COLUMN

A2014 (REPLACES A275S) **CB**

20" DOUBLE RISER COLUMN

26.8in | 54.7in | 4.8lbs | 16mm-5/8" 28mm-1" 1/8

3 sections (Ø: 35, 30, 25mm) chrome steel column.

A2020 (REPLACES A272S) **CB**

30" DOUBLE RISER COLUMN

37.4in | 81.1in | 6.2lbs | 16mm-5/8" 28mm-1" 1/8

3 sections (Ø: 35, 30, 25mm) chrome steel column.

A2029 (REPLACES A270S) **CB**

40" DOUBLE RISER COLUMN

46.5in | 112.2in | 7.3lbs | 16mm-5/8" 28mm-1" 1/8

3 sections (Ø: 35, 30, 25mm) chrome steel column.

BASE

A2009 (REPLACES A265) **CB**

TURTLE BASE

10.6in | 37.4in | 6.6lbs | 28mm 1" 1/8

A2007 (REPLACES A268) **CB**

MINI TURTLE BASE

10.6in | 29.5in | 6lbs | 28mm 1" 1/8

T-Top
Rubber covering for added grip of the handle (different colours available for customization).

Dedicated ball bearing. Fundamental component for the highest torque. (+40% jaw's pressure, +90% twisting resistance applied to the arm).

Bearing jacket to distribute the pressure generated.



Aluminum handle with dedicated design for high locking torque transmission.

Aluminum jaws. Four different gripping diameters available.

Our Grip Heads have been specifically designed to hold scrims, flags, floppies & cutters mounted on Century Stands, or butterfly frames mounted on Overhead Stands during film, video or photo shoots. Extension offset arms, used in combination with Grip Heads, provide an extended grip point for scrims, flags and small lights, and are available in two lengths: 20" (51cm) and 40" (102cm). The Grip Head can be combined with other accessories to solve most light and light modification accessory positioning problems. Grip Heads are available in two specific diameters, the standard is 2 1/2" the Jumbo version is 4".

Aluminum main body with baby attachment and steel helicoidal inserts.

Disk made by the same material used in the automotive field for excellent friction control.

Aluminum M10 handle.

D200 B

2"½ GRIP HEAD

1.2lbs 16mm 5/8"

Avenger's most popular grip accessory. The D200 Grip Head has hundreds of functions. Unlike any other grip head, the D200 utilizes a series of washers for extra locking torque and the use of automotive-quality brake pad discs for secure, non-slip security.

D210 B

SNAP-IN GRIP HEAD

1.4lbs

Combining the multi-functional D200 Grip Head with a hex pin to interface with the original Super Clamp. The D210 allows you to hang flags and scrims in positions that light stands can't reach.

D230

SUPER CLAMP GRIP HEAD

2.1lbs

Like the D210, this kit includes the D200 Grip Head and the Avenger C1575B Super Clamp.

D220 B

GRIP HELPER

2.4lbs 16mm 5/8"

Just as the name suggests, the Grip Helper is like three Grip Heads in one.
Two independent grip heads sandwich a third with a fixed 16mm pin. This system allows multiple light control accessories to mount in front of fixtures without the need for numerous light stands.

D250 B

GAG GOBO

1lbs

This unique double Grip Head system provides the flexibility of a second grip head allowing hundreds of uses including doubling up scrims and flags.

D240 B

GRIP HEAD WITH SWIVEL PIN

2.8lbs

Two famous accessories connected together to assure a wide range of fixing solutions.
Attachments:
16mm male pin + 16mm female socket 28mm male pin.

D100 B

DOUBLE GRIP HEAD

1.9lbs

A combination of two sets of Grip Heads discs mounted on a steel plate with a 3/8in rod.
Attachment: 3/8in x 5.3in rod.



D260 B

ADDA HEAD

1.1lbs

Like the D230, but available as a separate unit.
The Add ahead provides quick application of a Grip Head into the Super clamp system.



D500 B

20" EXTENSION GRIP ARM

3lbs

Normally used in combination with a Grip Head (art. D200) it provides an extended grip point for scrims and flags. Pipe length 20in.

D520 B

40" EXTENSION GRIP ARM

3.5lbs

Normally used in combination with a Grip Head (art. D200) it provides an extended grip point for scrims and flags or small lights. Pipe length 40in.

D550 B

FUN GRIP ARM

3.4lbs

With its strong joint it solves all positioning problems of scrim, flags or small lights. 42.1in length.

D800KIT

GRIP KIT

Set of accessories that work on their own or in combination with stands to support scrims, flags and lighting fixtures to provide precision and secure control.
Kit comprises of:
D200B Black Grip Head.
E600 Snap-in 5/8in pin.
D520B Black 40" extension arm.
C1575B Black Super Clamp.
H4BAG Grip Kit bag.

D420 B

JUMBO GAG GOBO

2.9lbs

This double 4 1/2" (10mm) Grip Head allows for multiple overheads to be used simultaneously.

D400 B

4"½ JUMBO GRIP HEAD

5.2lbs | 28mm 1" 1/8 | 28mm 1" 1/8

Designed to convert a Junior Stand into an Overhead Stand, the D400 incorporates a 4 1/2" (10mm) Grip Head with a Junior Stud and receiver.

E600

SNAP-IN PIN

Specifically designed to connect Grip Head to Super Clamp. Aluminum made.

E600C

SNAP-IN PIN

Same as E600, chromed plated steel made.

D050

SET OF 6 BLUE T-TOPS

Rubber cover gives better grip for 80mm T-handles, even in cold weather.
Available also in the following colors:
Red - code D050R
Yellow - code D050Y
Green - code D050G
Light Blue - code D050LB
Black - code D050B

BABY **STANDS**

A0003 (PREVIOUS CODE A608B)

BACKLITE BABY STAND

7.9in	38.6in	26in	26.8in
3.1lbs	8.8lbs	16mm 5/8"	

Black steel legs and aluminum riser.
2 sections, 1 riser.
Ø: 25, 20mm. Leg Ø: 16mm.

A0010 (PREVIOUS CODE A450)

MIGHTY BABY STAND 10

20.5in	39.4in	18.5in	16.9lbs
5.5lbs	33.1lbs	16mm 5/8"	

Steel legs and aluminum risers, silver only.
3 sections, 2 risers. Ø: 35, 30, 25 mm.
Leg: 20x20mm. 1 leveling leg.

A0017 (SIMILAR TO A450)

BABY STAND 17

32.3in	68.9in	28.7in	29.5in
7.7lbs	8.8lbs	16mm 5/8"	

Steel legs and aluminum risers, silver only.
3 sections, 2 risers. Ø: 35, 30, 25 mm.
Leg: 20x20mm. 1 leveling leg.

STEEL BASE AND ALU COLUMN

A0025B (SIMILAR TO A625B)

ALU BABY STAND 25

38.6in	98.4in	34.3in	34.3in
6.6lbs	8.8lbs	16mm 5/8"	

Black aluminum stand.
3 sections, 2 risers. Ø: 35, 30, 25, 20mm
Leg: 20x20mm. 1 leveling leg.

ALUMINUM

STEEL

A0040B

A0040CS

A0030B (SIMILAR TO A630B)

ALU BABY STAND 30

44.5in | 118.1in | 39.4in | 39.4in

7.7lbs | 22lbs | 16mm 5/8"

Black aluminum stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20x20mm. 1 leveling leg.

A0035B (SIMILAR TO A630B)

ALU BABY STAND 35

49.6in | 137.8in | 44.1in | 39.4in

7.7lbs | 19.8lbs | 16mm 5/8"

Black aluminum stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20x20mm. 1 leveling leg.

A0040B (SIMILAR TO A635B)

ALU BABY STAND 40

55.9in | 157.5in | 48.8in | 44.9in

8.8lbs | 19.8lbs | 16mm 5/8"

Black aluminum stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20x20mm. 1 leveling leg.

A0045B (REPLACES A410B)

ALU BABY STAND 45

60.6in | 177.2in | 53.5in | 44.9in

8.8lbs | 22lbs | 16mm 5/8"

Black aluminum stand.
4 sections, 3 risers. Ø: 35, 30, 25mm.
Leg: 20x20mm. 1 leveling leg.

A0030CS

STEEL BABY STAND 30

44.5in | 118.1in | 39.4in | 39.4in

13.2lbs | 22lbs | 16mm 5/8"

Chrome plated steel stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20x20mm. 1 leveling leg.

A0035CS

STEEL BABY STAND 35

49.6in | 137.8in | 44.1in | 39.4in

15.4lbs | 19.8lbs | 16mm 5/8"

Chrome plated steel stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20x20mm. 1 leveling leg.

A0040CS

STEEL BABY STAND 40

55.9in | 157.5in | 48.8in | 44.9in

16.5lbs | 19.8lbs | 16mm 5/8"

Chrome plated steel stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20x20mm. 1 leveling leg.

A0045CS (REPLACES A410C)

STEEL BABY STAND 45

60.6in | 177.2in | 53.5in | 44.9in

17.6lbs | 55.1lbs | 16mm 5/8"

Chrome plated steel stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20x20mm. 1 leveling leg.

COMBO **STANDS**

ALUMINUM

A1020B (REPLACES A125B)
BLACK LOW ALU COMBO STAND 20

43.3in	78in	36.6in	31.5in	13.2lbs
55.1lbs	28mm 1" 1/8	16mm 5/8"	A9000B (optional)	

Aluminum legs with aluminum risers.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 25x25mm. 1 leveling leg.

A1035B (REPLACES A115B)
ALU COMBO STAND 35

66.1in	137.8in	55.9in	52.8in	15.4lbs
66.1lbs	28mm 1" 1/8	16mm 5/8"	A9000B (optional)	

Aluminum stand.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 25x25mm. 1 leveling leg.

A1045B (REPLACES A105B)
ALU COMBO STAND 45

70.5in	177.2in	61in	52.8in	15.4lbs
66.1lbs	28mm 1" 1/8	16mm 5/8"	A9000B (optional)	

Aluminum stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25x25mm. 1 leveling leg.

STEEL

A1010CS (REPLACES A128)
MINI STEEL COMBO STAND 10

25.2in	39.4in	24.4in	22.4in	9.9lbs
66.1lbs	28mm 1" 1/8	16mm 5/8"	A9000 (optional)	

Chrome steel stand.
2 sections, 1 riser. Ø: 35, 30mm
Leg: 20x20mm. 1 leveling leg.

A1020CS (REPLACES A120)
STEEL COMBO STAND 20

43.3in	78in	36.6in	31.5in	17.2lbs
77.2lbs	28mm 1" 1/8	16mm 5/8"	A9000 (optional)	

Chrome steel stand.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 25x25mm. 1 leveling leg.

A1035CS (REPLACES A110)
STEEL COMBO STAND 35

66.1in	137.8in	55.9in	52.8in	26.5lbs
88.2lbs	28mm 1" 1/8	16mm 5/8"	A9000 (optional)	

Chrome steel stand.
3 sections, 2 risers. Ø: 45, 40, 35mm
Leg: 25x25mm. 1 leveling leg.

A1045CS (REPLACES A100)
STEEL COMBO STAND 45

70.5in	177.2in	61in	52.8in	28.7lbs
88.2lbs	28mm 1" 1/8	16mm 5/8"	A9000 (optional)	

Chrome steel stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm
Leg: 25x25mm. 1 leveling leg.

PRODUCTS BELOW ARE AVAILABLE AS OPTIONAL

A9000 B
BRAKED WHEELS

7.3lbs	198lbs

Ø: 100mm for 20x20 and 25x25mm.
Square legs. Set of three.



D400 B
4"½ JUMBO GRIPHEAD

5.2lbs	28mm 1" 1/8	28mm 1" 1/8

Designed to convert a Junior Stand into an Overhead Stand, the D400 incorporates a 4 1/2" (10mm) Grip Head with a Junior Stud and receiver.

A1045B

A1045CS

ROLLER **STANDS**

A5017 (SIMILAR TO A660)

BABY ROLLER STAND 17 FOLDING BASE

29.5in | 66.9in | 26in | 29.5in | 13.2lbs

26.5lbs | 16mm 5/8"

Legs and column in steel, risers in aluminum, complete with wheels.
3 sections, 2 risers. Ø: 35, 30, 25mm.
Leg: 20x20mm.

A5017

A5033 (REPLACES A665)

HIGH BABY ROLLER STAND 33 FOLDING BASE

45.3in | 129.9in | 41.3in | 29.5in | 13.9lbs

26.5lbs | 16mm 5/8"

Legs and column in steel, risers in aluminum, complete with wheels.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20x40mm.

FOLDING BASE



A5029

LOW BASE

A5029 (REPLACES A420)

BABY ROLLER STAND 29 LOW BASE

49.2in | 114.2in | 48.4in | 39.4in | 14.1lbs

26.5lbs | 16mm 5/8"

Legs and column in steel, risers in aluminum, complete with wheels.
3 sections, 2 risers. Ø: 35, 30, 25mm.
Leg: 20x20mm.

A5043 (REPLACES A430)

HIGH BABY ROLLER STAND 43 LOW BASE

57.5in | 169.3in | 53.1in | 41.7in | 15.2lbs

26.5lbs | 16mm 5/8"

Legs and column in steel, risers in aluminum, complete with wheels.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20x20mm.

A5012

A5012 (REPLACES A680)

LOW BOY JUNIOR ROLLER STAND 12 FOLDING BASE

30.7in | 47.2in | 26.8in | 29.5in | 17.6lbs

55.1lbs | 28mm 1" 1/8 | 16mm 5/8"

Legs and column in steel, risers in aluminum, complete with wheels.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 20x40mm.

A5034 (REPLACES A690)

HIGH JUNIOR ROLLER STAND 34 FOLDING BASE

55.9in | 133.9in | 52in | 29.5in | 23.6lbs

44.1lbs | 28mm 1" 1/8 | 16mm 5/8"

Legs and column in steel, risers in aluminum, complete with wheels.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 20x40mm.

FOLDING BASE



A5036CS

LOW BASE

A5036CS (REPLACES A510)

JUNIOR ROLLER STAND 36 LOW BASE

61.4in | 141.7in | 51.2in | 55.1in | 30lbs

88.2lbs | 28mm 1" 1/8 | 16mm 5/8"

Chrome steel stand, complete with wheels.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 25x25mm.

A5042CS (REPLACES A500)

HIGH JUNIOR ROLLER STAND 42 LOW BASE

65.4in | 165.4in | 55.9in | 59.1in | 34lbs

88.2lbs | 28mm 1" 1/8 | 16mm 5/8"

Chrome steel stand, complete with wheels.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25x25mm.

BOOM **STANDS**

A4039CS (REPLACES A470)

BABY COMBI STEEL BOOM STAND 39

51.6in | 154.3in | 44.5in | 42.9in | 18.5lbs

26.4lbs | 16mm 5/8" | A9000B (optional)

Chrome steel stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20x20mm.
1 leveling leg.

A4041B (REPLACES A475B)

BABY COMBI ALU BOOM STAND 41

54.7in | 162.6in | 48.8in | 50.8in | 10.1lbs

22lbs | 16mm 5/8" | A9000B (optional)

Supplied with sandbag counterweight (empty) for maximum stability and smoothness.
Black aluminum stand. 4 sections, 3 risers.
Ø: 35, 30, 25, 20mm.
Leg: 20x20mm.
1 leveling leg.
Min extension boom 44.5in. Max load 33lbs.
Max extension boom 84in. Max load 11lbs.

A4050CS (REPLACES A700)

JUNIOR STEEL BOOM STAND 50

77in	196.9in	65in	53.1in	33lbs
66lbs	28mm 1" 1/8	16mm 5/8"	A9000 (optional)	

Chrome steel stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25x25mm.
1 leveling leg.
Min extension boom 61in. Max load 66lbs.
Max extension boom 105in. Max load 17.7lbs.

PRODUCTS BELOW ARE AVAILABLE AS OPTIONAL

E700

BABY DROP DOWN PIN

1.4lbs	16mm 5/8"	16mm 5/8"

For a more accurate light positioning: it helps keeping the light in horizontal position independently on the angle of the boom. Specifically designed to be used on boom arm with light attachment with 5/8in pin (e.g., D600).

E710

JUNIOR DROP DOWN PIN

2.9lbs	28mm 1" 1/8	28mm 1" 1/8	16mm 5/8"

Same as E700, designed to be used on boom arm with light attachment with 1" 1/8 bushing (e.g., D650 or A700).

A9000 **B**

BRAKED WHEELS

7.3lbs	198lbs

Ø: 100mm for 20x20 and 25x25mm.
Square legs. Set of three.

WIND UP **STANDS**

B6026CS (REPLACES B205)

IR WIND UP STAND 26 WITH BRAKED WHEELS

60.2in	102.8in	68.1in	59.8in	41.8lbs
99lbs	28mm 1" 1/8	16mm 5/8"		

Chrome steel stand.
2 sections, 1 riser. Ø: 55, 45mm.
Leg Ø: 30mm.
1 leveling leg.

B6030CS (REPLACES B201)

WIND UP STAND 30 LOW BASE WITH BRAKED WHEELS

60.2in	116.5in	68.9in	55.9in	39.2lbs
66lbs	28mm 1" 1/8	16mm 5/8"		

Chrome steel stand.
3 sections, 2 risers.
Ø: 55, 45, 38mm.
Leg Ø: 30mm.
1 leveling leg.

B6039CS (REPLACES B200)

WIND UP STAND 39 WITH BRAKED WHEELS

71.3in	153.5in	79.1in	55.9in	52.8lbs
66lbs	28mm 1" 1/8	16mm 5/8"		

Chrome steel stand.
3 sections, 2 risers.
Ø: 55, 45, 38mm.
Leg Ø: 30mm.
1 leveling leg.

SUPER WIND UP **STANDS**

B6029X

SUPER WIND UP 29 STAND LOW BASE STAINLESS STEEL

55.1in 114.2in 61.4in 51.2in 74.8lbs

176.4lbs 28mm 1" 1/8

Stainless steel column and legs, chrome steel risers and geared column. 4 sections, 3 risers.
Ø: 70, 60, 50mm. Leg: Ø 35mm. 1 leveling leg.

Patented

The codes B6035X, B6040X, B7018, B7059FF are assembled using the new foam fill wheels.

B6040X (SIMILAR TO B250X)

SUPER WIND UP 40 STAND STAINLESS STEEL WITH FF WHEELS

67.7in | 152in | 77.2in | 70.9in | 85.8lbs

176lbs | 28mm 1" 1/8

Heavy lift stand with strenghtened stainless steel column and legs, chrome steel risers and geared column. 3 sections Ø: 70, 60, 50mm. 2 risers which extended simultaneously at 1.7in per handle turn. Safety cable ensures simultaneous retrieval of all sections. Rapid adjustment. Leg Ø 35mm. 1 leveling leg. Complete with braked wheels.

Patented

STRATO SAFE **STANDS**

B7035CS

B7018 (SIMILAR TO B105N)

STRATO SAFE STAND 18 WITH FF WHEELS

41.3in | 68.9in | 49.6in | 47.2in | 59.5lbs

220lbs | 28mm 1" 1/8

Aluminum legs with chrome steel column.
Complete with braked wheels.
2 sections, 1 riser. Ø: 70, 60mm.
Leg: 35x35mm.

Patented

B7035CS (SIMILAR TO B300P)

STRATO SAFE STAND 35 (SAFE CRANK STAND)

61in | 137.8in | 73.2in | 71.7in | 140.8lbs

200lbs | 28mm 1" 1/8

Chrome steel stand complete with bracked wheels.
3 sections, 2 risers. Ø: 90, 80, 70mm.
Leg: 35x35mm.

Patented



B7043CS

B7043CS (REPLACE B140FXL)

FLAT JUMPER STRATO SAFE STAND 43

61in | 168.1in | 72.8in | 71.7in | 132lbs

154lbs | 28mm 1" 1/8

Chrome steel stand complete with braked wheels.
4 sections, 3 risers. Ø: 90, 80, 70, 60mm.
Leg: 35x35mm.

Patented

B7047CS (REPLACE B140F)

3R STRATO SAFE STAND 47

67.7in | 183.9in | 82.3in | 83.9in | 136.7lbs

154.3lbs | 28mm 1" 1/8

Chrome steel stand complete with braked wheels.
3 sections, 2 risers. Ø: 90, 80, 70mm.
Leg: 35x35mm.
Included Wind Brace Kit B9000W.

Patented

LONG JOHN SILVER **STANDS**

B7057

LONG JOHN SILVER STAND

70in | 224.4in | 88.2in | 94.5in | 187.4lbs | 264lbs | 28mm 1" 1/8

Heavy duty stand complete with pneumatic braked wheels. 5 sections, 4 risers.
Includes Wind Brace Kit B9000W.

Patented

B7057FF

LONG JOHN SILVER STAND WITH FOAM FILL WHEELS

70in | 224.4in | 88.2in | 94.5in | 187.4lbs | 264lbs | 28mm 1" 1/8

Heavy duty stand complete with foam fill braked wheels. 5 sections, 4 risers.
Includes Wind Brace Kit B9000W.

Patented

OVERHEAD **STANDS**



A3059CS

A3058CS

A3042CS

OVERHEAD STAND 42

56.3in | 166.5in | 53.1in | 50.8in | 26lbs

88.2lbs | 28mm 1" 1/8 | 45.2in | A9000 (optional)

Chrome steel stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25x25mm.

A3059CS

OVERHEAD STAND 59

69.7in | 231.5in | 65.7in | 50.8in | 30.9lbs

88.2lbs | 28mm 1" 1/8 | 45.2in | A9000 (optional)

Chrome steel stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25x25mm.

STANDARD BASE

A3043CS

OVERHEAD STAND 43 WITH BRAKED WHEELS

59.8in | 170.1in | 59.1in | 60.6in | 35.3lbs

88.2lbs | 28mm 1" 1/8 | 45.2in

Chrome steel stand complete with braked wheels.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25x25mm.

A3058CS

OVERHEAD STAND 58 WITH BRAKED WHEELS

73.2in | 234.6in | 71.7in | 60.6in | 40.3lbs

88.2lbs | 28mm 1" 1/8 | 45.2in

Chrome steel stand complete with braked wheels.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25x25mm.
Important! Counterweight sandbags must always be used on the legs to ensure safe, stable operation even at full height extension.

ROLLER BASE

A3056CS

WIDE BASE OVERHEAD STAND 56

78.35in | 219.3in | 76.8in | 77.2in | 37lbs

88.2lbs | 28mm 1" 1/8 | 45.2in | A9000 (optional)

Chrome steel stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25x25mm.
1 leveling leg.

A3065CS

WIDE BASE OVERHEAD STAND 65

79.4in | 251.2in | 77.6in | 80.3in | 37lbs

66.1lbs | 28mm 1" 1/8 | 45.2in | A9000 (optional)

Chrome steel stand.
5 sections, 4 risers. Ø: 50, 45, 40, 35mm.
Leg: Ø 30mm.
2 leveling leg.

A3065CS

PRODUCT BELOW IS AVAILABLE AS OPTIONAL

D610

C-BOOM/FISHPOLE HOLDER

1.4lbs

For tubes of max diameter 1.3in.



ACCESSORIES **STANDS**

C626
LONG STEEL STAND EXTENSION

4.17lbs | 28mm 1" 1/8 | 16mm 5/8" | 28mm 1" 1/8

Chrome length plated steel extension. Length 20.4in.

C624
MEDIUM STEEL STAND EXTENSION

3.8lbs | 28mm 1" 1/8 | 16mm 5/8" | 28mm 1" 1/8

Chrome length plated steel extension. Length 15.3in.

C622
SMALL STEEL STAND EXTENSION

3.5lbs | 28mm 1" 1/8 | 16mm 5/8" | 28mm 1" 1/8

Chrome length plated steel extension. Length 11in.

C590
CONKA BONKA

Set of 3 Cine extensions.

Long version:
extension 675mm (26,5")
total length 790mm (31,1")
weight 1,75kg (3,86lbs).

Medium version:
extension 270mm (10,6")
total length 385mm (15.6")
weight 1,25kg (2,76lbs).

Short version:
extension 150mm (5,9")
total length 265mm (10,4")
weight 1,09kg (2,4lbs).

C595
BABY BONKA

Set of 3 Cine extensions.

Long version:
extension 675mm (26,5")
total length 721mm (28,3")
weight 0,48kg (1lbs).

Medium version:
extension 270mm (10,6")
total length 316mm (12,4")
weight 0,3kg (0.66lbs).

Short version:
extension 150mm (5,9")
total length 196mm (7,7")
weight 0,25kg (0.55lbs).

027

STAND HOLDER

6.2lbs

Holder for 8 light stands. Width: 45.2in.
Distance between fixing holes: 25.3in.
Depth: 7.5in.

087WBK

WIND-BRACING KIT

3 rope wind-bracing kit.
Length: 393.7in
Not supplied with the stand.

A9000 B

BRAKED WHEELS

7.3lbs 98lbs

Ø: 100mm for 20x20 and 25x25mm.
Square legs. Set of three.

G100

SMALL SAND BAG

13.2lbs

G200

LARGE SAND BAG

22lbs

AWGS200

CORDURA SAND BAG

15lbs

AWGS202

CORDURA SAND BAG

25lbs

LIGHT CONTROL

Avengere offers you anything you need for lighting control on the set: from scrims and flags to dots & fingers, to butterflies. An exceptional offering of 19 different textiles, swiveling kits, and metallic flags. Completing this family a vast range of accessories: from polyholders to traditional frames to fold away frames.

D580
UNIVERSAL ARTICULATED ARM KIT

2.7lbs

Articulated Arm, Mini Clamp, 3/8" Square Adapter, 10mm Socket Adapter, Super Clamp, Hexagonal Adapter, Black Plastic Flag.
Arm length: 35.4in.



D390
UNIVERSAL FLEXTENTION KIT

2.5lbs

Comprising: Flextension Arm, Mini Clamp, 3/8" Square Adapter, 10mm Socket Adapter, Super Clamp, Hexagonal Adapter, Black Plastic Flag.
Arm length: 20in.

D340
CAMERA FLEXTENTION KIT

1.3lbs

Flextension Arm, with 2 Mini Clamps, 3/8" Adapter, 10mm Socket Adapter, Black Plastic Flag.



I800
BLACK METAL FLAG

0.6lbs

Thickness: 0.04in.





I810
BLACK PLASTIC FLAG

0.3lbs

Thickness: 0.12in.

D560

BALL AND SOCKET FLAG ARM

0.7lbs

Length: 17in.

143FV

DOUBLE HINGED FORK

1.1lbs

16mm
5/8"

Holds 2 styrene gobos to reflect
or cut light on a subject.
Size 4.9x7.9in.



F1504

FOAMCORE FORK 16MM PIN

0.6lbs

16mm
5/8"

Similar to the F1501, but includes four pointed pins to
mount thicker foam core or gator-board.
Mounts via a 5/8in pin.



143F

FORK

0.3lbs

Fork attachment for styrene gobos:
supplied with 1/4" and 3/8" female attachment.
Size 4.9x7.9in.

143FD

DOUBLE FIXED FORK

0,4lbs

Holds 2 styrene gobos to reflect
or cut light on a subject.
Size 4.9x7.9in.

LIGHT CONTROL

F1521

50MM (2") POLYHOLDER WITH 16MM SPIGOT

5.5lbs | 16mm 5/8"

The Polyholder has a 16mm spigot. The "board" clamp has two sides, one white for the reflective side of the polystyrene; one black for the black lightstopping side. It doesn't damage the poly. Plate dimensions: 5.9x8.7in.

F1520

50MM (2") POLYHOLDER WITH SWIVEL JOINT 28MM SPIGOT

5.5lbs | 28mm 1" 1/8

The Polyholder has a 28mm spigot with a ball-and-socket joint to allow rotation and flexible positioning.
The board "clamp" has two sides, one white for the reflective side of the polystyrene; one black for the light-stopping side. It doesn't damage the poly.
Two metal spikes (on wire retainers) keep the polystyrene board firmly in place. The structure is robustly built to hold thick polystyrene boards, and also has a secondary safety hook to anchor the polyholder to the lightstand/clamp/etc.
Plate dimensions: 5.9x8.7in.
Mounts via a 1 1/8in pin.



D750

40MM (1.6") TELESCOPIC POLYHOLDER

5.5lbs | 33lbs | 16mm 5/8"

Max size solding: 61.4in.
Folded length: 35.8.

Polystyrene is one of the most widely used light bouncers, but it's not the easiest material to handle. Now our Polyholder gives you total control. It grips any thickness, is telescopic to hold most full sheet sizes; then just fixes into the lighting Grip Head D200 mounted on a stand or clamp. What could be easier?



F1501

30MM (1.2") POLYHOLDER

1.7lbs | 16mm 5/8"

A foamcore support clamp to enable precise positioning.
Mounts via a 16mm socket.



I8030CB

MOUNTING STIRRUP FOR 40" REFLECTOR BOARD

5.5lbs | 16mm 5/8"

Will fit reflector board from 0.2 to 1in thickness.
Board not supplied.

D705B

LONG COLLAPSIBLE REFLECTOR HOLDER

1.7lbs | 16mm 5/8"

Long Extension Arm.
Max length: 78.2in - Min length: 25.9in

D700B

COLLAPSIBLE REFLECTOR HOLDER

1.5lbs | 16mm 5/8"

Extension Arm.
Max length: 48in - Min length: 18.5in

FOLD AWAY FRAME

Patented

Code	Frame Size [feet]	Frame Size [cm]	Tube Thickness [in]	Frame Support	Transport Dimension [in]	Weight [lbs]
H2006	6x6	183x183	1.2x1.2	Ear Type 2	75x5.9x1.2	23.1
H2008	8x8	244x244	1.2x1.2	Ear Type 2	100x5.9x1.2	25.3
H2012	12x12	366x366	1.2x1.2	Ear Type 2	147x5.9x1.2	29.7

FOLD-OUT AND SET UP
Just fix the frame holder and it is ready to mount!
To order Ear support alone use code RH02015.

FOLD-DOWN AND BRING UP
Need to move the frame quickly from set to set? No problem, just remove the frame holder, fold down the frame and carry the frame with the textile still fitted!

FOLD AWAY FRAME COMPACT

Patented

Code	Frame Size [feet]	Frame Size [cm]	Tube Thickness [in]	Frame Support	Transport Dimension [in]	Weight [lbs]
H2508	8x8	244x244	1.2x1.2	Ear Type 2	51x6.5x3.3	32.6
H2512	12x12	366x366	1.2x1.2	Ear Type 2	75x6.5x3.3	37.5

FOLD-DOWN
AND BRING UP
Fold Away Compact is the evolution of the standard version. A locking mechanism allows the frame to be folded even smaller for even easier transportation.



I1550KIT

DOT & FINGER KIT

Comprising:
1 x 3" (7.5cm) Single+Double
1 x 6" (15cm) Single+Double
1 x 6" (15cm) Silk
2 x 6" (15cm) Flags
1 x 12" (30cm) Single
1 x 14" (36cm) Silk
1 x 14" (36cm) Flag
2 x Mini Flex Arm, 1 Bag



LIGHTWEIGHT FRAMES

The Manfrotto Deluxe Fast-Loc Frame kit is lightweight and quick to set up. The square section aluminum tubes slide and lock together to provide a strong frame which supports lighting control textiles of (4'x4' and 6'x6' in size).

Code	Frame Size [feet]	Frame Size [cm]	N. of tubes per side	Tube Length x Thickness [in]	Tube Connection	Frame Support	Weight [lbs]	Optional Frame Bag
H440	4x4	122x122	1	640x1.4	insert	Stud Type x1	1.3	H6BAG
H660	6x6	183x183	1	1205x1.4	insert	Stud Type x2	15.2	H6BAG





Stud Type (code RH01051)



The Manfrotto Butterfly Frames uses two methods of support. Ear and Stud as illustrated.



Ear Type (code RH01016)



Insert tube connection

MODULAR FRAMES

Heavy duty 3mm square section tubes-slot and pin-lock together, rapidly providing a stable frame for lighting control textiles. By reducing or adding tubes you can create any frame size.

Code	Modular Frame Size [feet]	[cm]	N. of tubes per side	Tube Length x Thickness [in]	Tube Connection	Frame Support	Weight [lbs]	Optional Frame Bag
H400M	4x4	122x122	1	1205 x 3	N/A	Ear Type x 1	16	H6BAG
H600M	6x6	183x183	1	1205 x 3	Pin	Ear Type x 2	25.1	H6BAG
			1	610 x 3				
H800M	8x8	244x244	2	1205 x 3	Pin	Ear Type x 2	30	H6BAG
H1200M	12x12	366x366	3	1205 x 3	Pin	Ear Type x 2	41.9	H6BAG
H2000M	20x20	610x610	5	1205 x 3	Pin	Ear Type x 2	71.9	H6BAG

MODULAR FRAME CONVERSION KITS

Code	Conversion kit [feet]	Conversion kit [cm]
H406EXT	from 4x4 to 6x6	12 x122 to 183x183
H408EXT	from 4x4 to 8x8	122x122 to 244x244
H806EXT	from 20x20, 12x12 and 8x8 to 6x6	610x610, 366x366 and 244x244 to 183x183
H812EXT	from 8x8 to 12x12	244x244 to 366x366
H1220EXT	from 12x12 to 20x20	366x366 to 610x610



Pin tube connection.

D.I.Y. BUTTERFLY PIPE CORNER KITS

Pipe specifications for use with the D.I.Y Butterfly Pipe Corner Kits.

Code	Nominal Bore [inches]	Outside Diameter [inches]	Nominal Bore [mm]	Outside Diameter [mm]
H9000	1 1/2"	1 29/32"	38	48.3
H9500	1 1/4"	1 11/16"	32	42.4

These two different kits, which contain corners and supports, give you the possibility of making frames of any dimension, using standard aluminum pipes. See the above chart for the right diameter of pipes to use.

Pipe connection.

SYSTEMS





Presenting an incredible offer of different products to support both lighting and other gear in the set. This family is divided into several sub-families offering flexibility and modularity which allows you to solve any problem of use in a quick and safe way. Here you will find pipe clamps, stage clamps, grab clamps, wall plates, CrossPole, telescopic hangers, arms, pump cups, booms… you just have to pick one!

SYSTEM
PROPERTIES

Gravity Casting: All the strategic aluminum components which have to guarantee safety of the product are made using the Gravity Casting technology. This process excludes any possibility of having air bubbles getting into the casting.

Quick Action Device: This mechanical concept allows an incredible speed in locking and unlocking the clamp's jaws. The Quick Action line of clamps consists of four models that in dimension, load capacity (up to 220lbs) and coupling range (up to 1.97in).

max load	13mm hole	female 16mm - 5/8"	female 17mm	female 28mm - 1" 1/8
1322lbs				C345 C345K C345BK ø 1.65"-2.1"
1102lbs	C4460 ø 1.65"-2.1"	C4469 ø 1.65"-2.1"		
661lbs	C4560 ø 1.65"-2.1"			C4465 ø 1.65"-2.1"
551lbs				C100 ø 0.79"-2.2"
330lbs	C339 ø 1.6"-2.6"			
220lbs		C345 C345K C345BK ø 1.65"-2.1"		C337 ø 1.6"-2.8"
165,3lbs		C150 ø 1.1"-3.1"		C339UH ø 1.6"-2.6" C150 ø 1.1"-3.1"
110lbs	C280 ø 1.2"-2.1"	C339BB ø 1.6"-2.6"		C295 ø 1.2"-2.1"
33lbs		C1575 ø 0.5"-2.2" C1550 ø 0.5"-2.2"		
22lbs			C500 ø 0.6"-3.1"	

spigot/socket type

FEM Analysis: All the structural components that are crucial for the safety or have to support high stress are engineered using the FEM analysis. The FEM (Finite Element Method) permits simulation of external forces in different applications and ti calculate the resulting stress on the component. Using this tool Avenger can optimize the design of the product obtaining the highest performance combined with the lowest weight.

Multifix: The Multifix feature of the "System" product family offers an incredible range of different attachments. Thank to the multifix system the user can hang the product in a various ways. The clamps are manufacturer with multi attachment points or a single attachment points available with a variety of different fixing accessories.

					1322lbs
C4464 ø 1.7"-2.1"	C4462 ø 1.7"-2.1"	C4461 ø 1.7"-2.1"			1102lbs
C4564 ø 1.9"-2.1"		C4470 ø 1.7"-2.1"		C4463 ø 1.9"-2.1"	661lbs
					551lbs
		C339JS ø 1.6"-2.6"	C339SP ø 1.6"-2.6"	C339LE ø 1.6"-2.6"	330lbs
C151 ø 28-78mm	C345-C345K C345BK ø 1.7"-2.1" C210 ø 0.4"-2.2"				220lbs
	C339UH ø 1.6"-2.6"				165,3lbs
	C338 ø 0.8"-2.1" C285 ø 1.2"-2.1"	C290 ø 1.2"-2.1"			110lbs
					33lbs
	C150 ø 1.1"-3.1" C500 ø 0.6"-3.2"				22lbs

M12 | male 16mm - 5/8" | male 28mm - 1" 1/8 | pulley | ring

CLAMP **SYSTEM**



C1575B
SUPER CLAMP

1lbs | 33lbs | 16mm 5/8"

Ideal clamp for Cine, Broadcast
or Lighting & Entertainment applications.
Clamping system achieved via a
metal knob ensuring extra solidity.
Works on diameters from 0.51in to 2.16in.



C1550
HEAVY DUTY SUPER CLAMP

1lbs | 33lbs | 16mm 5/8"

Extra strong version of Super Clamp
because of a special manufacturing
process named gravity casting,
allowing heavier manipulation.
Works on diameters from 0.51in to 2.16in.

PRODUCT BELOW IS AVAILABLE
AS OPTIONAL

E600

E600C
SUPER CLAMP ADAPTERS







C155
SAFETY CABLE
Diameter 0.16in. Length 39.3in.

C155-01
SAFETY CABLE
Diameter 1.37mm. Length 27.5in.

C155-02
SAFETY CABLE
Diameter 1.9in. Length 27.5in.

C155-03
SAFETY CABLE
Diameter 2.3in. 39.3in.







C1525

SKY HOOK

1.8lbs | 6.1" | 6.1"

Gaffer grip with adjustable jaws.
Grip from: 1in to 2.5in.







C500

PELICAN GAFFER GRIP

3.1lbs | 22lbs | 17mm | 16mm 5/8"

Works on diameters 0.6in to 3.1in.

CLAMP **SYSTEM**

C100

JUNIOR PIPE CLAMP WITH 1" 1/8 SOCKET

2.5lbs | 550lbs | 28mm 1" 1/8

Works on diameters from 0.78in to 2.1in.



C210

BABY PIPE CLAMP WITH 5/8" STUD

1.4lbs | 220lbs | 16mm 5/8"

Works on diameters from 0.39in to 2.1in.



C150

SWIVELING "C" CLAMP



3.5lbs	22/165lbs*	28mm 1" 1/8	16mm 5/8"

Works on diameters from 1.1in to 3in.

* 22lbs on 5/8in attachment, 165lbs on 1 1/8in attachment.



C151

SWIVELING "C" CLAMP WITH M12 SCREW

2.4lbs	220lbs	M12

Works on diameters from 1.1in to 3.1in.



CLAMP **SYSTEM**





C337

QUICK ACTION JUNIOR CLAMP 1" 1/8 BUSHING

2.8lbs | 220lbs | 28mm 1" 1/8

Made in gravity cast aluminum, this clamp is ideal to hang all types of luminaires in TV studios and theaters.
Its incredible "coupling range" sets almost no limitations to its capability to clamp to almost all the industry standard pipe diameters. To meet all safety requirements, we have designed a dedicated slot for flexible steel safety cables. Supplied with T-top padded handle to improve grip.
Pipe size 1.56in - 2.75in.

Pat pending





C338

QUICK ACTION BABY CLAMP 5/8" PIN

1.7lbs | 110lbs | 16mm 5/8"

Very slim and lightweight, this version has been designed for small luminaires, virtually unlimited in application. To meet all safety requirements, we have designed a dedicated slot for flexible steel safety cables. Pipe size 0.75in - 2.04in.

Pat pending





C345

BARREL CLAMP

2.1lbs | 220/1322lbs* | 28mm 1" 1/8 | 16mm 5/8" | GC

Works on diameters from 16.8lbs to 20.5lbs.

* 220lbs on 5/8" attachment,
1322lbs on 1 1/8" attachment.





C345K B

BARREL CLAMP

2.1lbs | 220/1322lbs* | 28mm 1" 1/8 | 16mm 5/8" | GC

Works on diameters
from 16.8lbs to 20.5lbs.

* 220lbs on 5/8" attachment,
1322lbs on 1 1/8" attachment.

CLAMP **SYSTEM**

C280
STAGE CLAMP

0.8lbs | 110lbs | 0.51in hole

C285
STAGE CLAMP WITH 5/8" STUD

1lbs | 110lbs | 16mm 5/8"



Work on diameters from 1.18in to 2in.
The double locking knob position always provides an optimal grip point.

C290
STAGE CLAMP WITH 1" 1/8 STUD

2lbs | 110lbs | 16mm 5/8"



C295
STAGE CLAMP WITH 1" 1/8 SOCKET

1.7lbs | 110lbs | 28mm 1" 1/8

The Grab Clamp is flexible and fast to use thanks to its pincer jaw design and rapid locking and release mechanism.
It can be fixed to a wider range of supports than traditional clamps and is suitable for use in TV, video and photographic studios, theatres and rigging structures.
The Grab Clamp will hold all kinds of lights, scenery, monitors and much more besides.
The Grab Clamp has been designed to be mounted on a wide range of beams, pipes and bars, whether round, square or rectangular in section. It needs no adapter - just open and clamp it.



Clamp Range: 1.6in to 2.6in

Clamp Range: 1.4in to 1.9in

Clamp Range: IPE 80 to IPE 160
HEB 80 to HEB 160

IPE and HEB is Standard Building Code for beams.

C339
GRAB CLAMP

2.6lbs | 330lbs | 0.49" hole

Supplied without attachment, but with a 0.49" hole for custom fixings.

C339JS
GRAB CLAMP WITH 1" 1/8 TV SPIGOT

3.1lbs | 330lbs | 28mm 1" 1/8

Supplied with 1" 1/8 spigot.

C339BB
GRAB CLAMP WITH 5/8" BUSHING

3lbs | 110lbs | 16mm 5/8"

Comes with 5/8" bushing complete with push button for extra-safe attachment.

C339LE
GRAB CLAMP WITH LIFTING EYE

3.1lbs | 330lbs | Ring

Complete with standard lifting eye for chain or rope fixture.

C339UH
DOUBLE GRIP HEAD

4.3lbs | 165lbs | 28mm 1" 1/8 | 16mm 5/8"

Provided with a universal fixed (non-rotating) head.

C339SP
GRAB CLAMP WITH SPINNING PULLEY

3.6lbs | 330lbs | Pulley

Fitted with a 3.9in diameter pulley to offer a quick and robust hanging point for TV and theatre sceneries.

MP EYE COUPLER **SYSTEM**

MP EYE COUPLERS: wider clamp range from 1 1/4in to 2in and special flattened shape of lower jaw.



C4460
MP EYE COUPLER

0.9lbs | 1100lbs | 13mm hole

The base model of MP Eye Coupler for any customized application.

C4461
MP EYE COUPLER WITH 1" 1/8 TV SPIGOT

1.3lbs | 1100lbs | 28mm 1" 1/8

Supplied with 1 1/8" spigot for TV/broadcast luminaires.

C4462
MP EYE COUPLER WITH 5/8" SPIGOT

1lbs | 1100lbs | 16mm 5/8"

Designed with 5/8" spigot suitable for lightweight luminaires.



C4463

MP EYE COUPLER WITH LIFTING RING

1.3lbs 660lbs Ring

Provided with lifting ring for multipurpose use with chains, wires and ropes.



C4464

MP EYE COUPLER WITH M12 BOLT PLUS NUT

0.9lbs 1100lbs M12x27

Twin couplers fixed parallel for firm, quick and easy interconnection for truss, bars or pipes.

C4465

MP EYE COUPLER WITH 1" 1/8 BUSHING

1.9lbs 660lbs 28mm 1" 1/8

Designed with 1" 1 /8 bushing suitable for 2K+ stirrup luminaires.

MP EYE COUPLER **SYSTEM**

C4469

MP EYE COUPLER WITH 5/8" BUSHING

0.9lbs | 1100lbs | 16mm 5/8"

Supplied with 5/8" spigot for light fixing accessories.

C4470

TILT & SWIVEL MP EYE COUPLER

2.9lbs | 660lbs | 28mm 1" 1/8

Provided with 1 1/8" spigot to enable to rig a bar or a frame structure between two stands with 360° spigot rotation and swivel system.



C4485

SWIVEL MP EYE COUPLER AND TILT TRUSS SUPPORT 150-250

6.1lbs | 28mm 1" 1/8

Truss Support Coupler with a tilt/swivel connection to the stand pin. It avoids torsion and mounting problems when lifting a truss using two stands simultaneously. Min. length 5.9in. Max. length 9.8in.

C4482

SWIVEL MP EYE COUPLER

1.8lbs

Twin couplers free to rotate 360° for firm, quick and easy coupling of trusses, bars or pipes.

C4486

SWIVEL MP EYE COUPLER AND TILT TRUSS SUPPORT 200-400

6.3lbs | 28mm 1" 1/8

Min. length 7.9in. Max. length 15.7in.

MP SLIM EYE COUPLERS: same features as MP coupler, but narrower in profile and lighter in weight.





C4560

SLIM MP EYE COUPLER

0.6lbs 660lbs 0.51in hole

The base model of MP slimlight version Eye Coupler.

C4564

MP EYE COUPLER 12MM BOLT + NUT

0.7lbs 660lbs M12x27mm

Supplied with M12 bolt and nut for custom solutions.

TELESCOPIC HANGER **SYSTEM**

C825

TELESCOPIC HANGER WITH UNIVERSAL HEAD

47.6in	79.1in	11lbs	28mm 1" 1/8	16mm 5/8"

Max load with 5/8in spigot 22lbs.
Max load with 1.8in socket 88lbs.

C827

LONG TELESCOPIC HANGER WITH UNIVERSAL HEAD

83.5in	150in	15lbs	28mm 1" 1/8	16mm 5/8"

Max load with 5/8in spigot 22lbs.
Max load with 1.8in socket 88lbs.

C820

TELESCOPIC HANGER WITH STIRRUP

46.1in	77.6in	11.9lbs	88lbs

Luminaire attachment - Stirrup Ø 1.6in.

C822

LONG TELESCOPIC HANGER WITH STIRRUP

82.7in	149.2in	15lbs	88lbs

Luminaire attachment - Stirrup Ø 1.6in.

C888UH

TELESCOPIC HANGER WITH UNIVERSAL HEAD

29.9lbs 63.4lbs 10.1lbs 28mm 1" 1/8 16mm 5/8"

Max load with 5/8" spigot 22lbs.
Max load with 1.8" socket 88lbs.

C888ST

TELESCOPIC HANGER WITH STIRRUP

28.7lbs 61.8lbs 10.3lbs 88lbs

Luminaire attachment - Stirrup Ø 1.6lbs.

C820-0111

TELESCOPIC HANGER WITH STIRRUP

34.6lbs 77.6lbs 10.1lbs 88lbs

Luminaire attachment - Stirrup Ø 1.6".

LIGHTING BOOMS **SYSTEM**

D570 B

EXTENSION ARM WITH SWIVEL PIN

2.4lbs | 16mm 5/8"

Arm length: 35.8in.
5/8in female stand attachment.

D600 CB

MINI BOOM

7.9lbs | 16mm 5/8"

Min extension 46in - Max load 66lbs.
Max extension 83.4in - Max load 15.4lbs.
5/8in female stand attachment.

D650

JUNIOR BOOM ARM

32.5lbs | 28mm 1" 1/8 | 16mm 5/8"

Min extension 64.2in - Max load 88lbs.
Max extension 118in - Max load 22lbs.
5/8in female stand attachment.

PRODUCT BELOW IS AVAILABLE AS OPTIONAL

172

MINI COUNTERWEIGHT

2.9lbs

022

G-PESO

14.7lbs

023

L-PESO

9.5lbs

CROSSPOLE **SYSTEM**



X400KIT

CROSSPOLE KIT

31.5in up to 13.1 feet Crosspole kit components: Expander, Static Plate, Double Locking
Collar, 3 tubes ø 45mm, 3 tubes ø 50mm and multifunctional bag.



X401

CROSSPOLE

31.5in up to 51.2in Crosspole kit components: Expander, Static Plate, Double Locking
Collar, 1 tube ø 45mm, 1 tube ø 50mm.



X402

CROSSPOLE

50.1in up to 86.6in Crosspole kit components: Expander, Static Plate, Double Locking
Collar, 1 tubes ø 45mm, 1 tube ø 50mm.



X404

CROSSPOLE

86.2in up to 13.1 feet Crosspole components: Expander, Static Plate, Double Locking
Collar, 1 tube ø 45mm, 1 tube ø 50mm.



X406

CROSSPOLE

19.7 feet Crosspole components: Expander, Static Plate, Double Locking
Collar, 1 tube ø 45mm, 1 tube ø 50mm + Cross Coupler.

X406TUBE

CROSSPOLE

Tubes and accessories for 19.7 feet application components 1 tube diam. 45mm, 1 tube diam. 50mm, Cross Coupler, Locking Collar.



TUBES

Eight tubes in special aluminum to cover the distance between two walls up to 6 meters (3mt tubes as accessories)

CROSS COUPLER

Dedicated component to create a combination of two or more Crosspole.

LOCKING COLLAR

Dedicated component that prevents the tube from sliding. Provided with aluminum handle grips and rubber covers.

Special component that permits the bending of the tubes and guarantees the maximum grip with your wall. Provided with leveling bubble and assembled with bolts (no rivets).

Innovative and patented component that permits the bendind of the tubes and, using the automatic index, the pre-loading of the CrossPole.
Designed to guarantee the maximum safety and resistance for the working life. Made by special aluminum and steel, provided with leveling bubble and assembled with bolts (no rivets).

Versatile bag provided with a multipocket system to contain and protect all the components of the CrossPole kit.

ARMS **SYSTEM**

F900
BABY TRIPLE HEADER 5X5/8" PIN/5/8" SOCKET

2.9lbs

Length: 25.6in.

169
FIVE SOCKET BRACKET

13.4lbs	28mm 1" 1/8	28mm 1" 1/8	110lbs*

39.3in long T Bar with 5x1 1/8in sockets
for attaching up to 5 lighting fixtures.
Designed to fit on stand or bracket with 1 1/8in socket.
*When load on one side only, max load capacity: 33lbs.

F700
BABY SIDE ARM TWIN 5/8" PIN

4.6lbs

Length: 14.9in.

F200
JUNIOR ADJUSTABLE SIDE ARM 1" 1/8 SOCKET

4.6lbs

Length: 16.1in.



F1200
COLUMN ARM

6.8lbs	55lbs	16mm 5/8"	28mm 1" 1/8

Length: 20in.



F600

BABY OFFSET ARM/TWIN 5/8" PIN / 5/8" SOCKET

15lbs

Length: 14.9in.

F100

JUNIOR OFFSET ARM 1/8" PIN / 1/8" SOCKET

3.3lbs

Length: 19.7in.

C330

FIXED BABY SIDE ARM

3lbs | 66lbs | 16mm 5/8"

Clamps on diameters from 1.9in to 2in.
Length: 17.3in.

C335

FIXED JUNIOR SIDE ARM

3.1lbs | 44lbs | 28mm 1" 1/8

Clamps on diameters from 1.9in to 2in.
Length: 18.5in.

BRACKETS AND BARS **SYSTEM**

D301

SNAP IN ARTICULATED ARM

S 0.2lb 0.77lbs

Length: 30.7in.

D306

ARTICULATED ARM WITH HEXAGONAL END

Similar to the D301 but with a hexagonal attachment at one end and a 5/8in pin at the other.

D300

ARTICULATED ARM WITH SPRING CLAMP

1.9lbs 0.55lbs

Length: 35.9in.

D244N

VARIABLE FRICTION ARM

2.4lbs | 16mm 5/8" | 16mm 5/8" | 6.6lbs

Articulated arm with large locking knob
to lock all 3 movements.

D310

MINI FLEX ARM

0.2lbs

Flexible arm, Ø 3/8". Length: 4.3in.
Attachment bushing and stud 1/4-20in diam.

D315

MAXI FLEX ARM

0.4lbs

Flexible arm, Ø 0.59". Length: 4.9in.
Attachment bushing and stud 3/8in diam.

PUMP CUP **SYSTEM**

F1000

PUMP CUP WITH 5/8" BABY SWIVEL SPIGOT

2.6lbs 4.4lbs 16mm 5/8"

Ideal for mounting small lights and camera systems onto flat, non-porous surfaces such as glass. A perfect tool for rigging car shoots

F1100

PUMP CUP WITH 5/8" BABY FIXED SPIGOT

1.5lbs 4.4lbs 16mm 5/8"

Like the F1000, but with a fixed baby pin for added stability.

F809

BABY PLATE WITH 90° PIN

1.4lbs 5/8in

When a light stand or a clamp cannot be used to support fixtures, this baby plate with a right angle can be mounted on the wall.

F800

3" BABY WALL PLATE

0.9lbs 16mm 5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used. Length 3in.



F805

6" BABY WALL PLATE

1.6lbs 16mm 5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used. Length 6in.

F808

9" BABY WALL PLATE

1.9lbs 16mm 5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used. Length 9in.

F301

BABY WALL PLATE

1.2lbs

16mm
5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used.

F300

JUNIOR WALL PLATE

1.5lbs

28mm
1" 1/8

A wall plate with a junior receiver to mount larger fixtures.



F810

BABY PLATE WITH 5/8" SWIVEL SPIGOT

1.8lbs

16mm
5/8"

Unique to the Avenger line, this baby plate allows fixtures to be fine-tuned with the built in swiveling baby pin.

F815

BABY PLATE "T" PIN

2.1lbs

16mm
5/8"

Height 15in.

ACCESSORIES

Modularity: this is the key word representing this family.
All Avenger products allow a high level of customization, find here everything you need to adapt a product to another one, creating your tailored solution.

ACCESSORIES

027

STAND HOLDER

6.2lbs

Holder for 8 light stands.
Width: 45.2in.
Distance between fixing holes: 25.3in.
Depth: 7.5in.

A9000 B

BRAKED WHEELS

7.3lbs 198lbs

Ø: 100mm for 25x25mm square legs. Set of three.



C155

SAFETY CABLE

Diameter 0.16in. Length 39.3in.

C155-02

SAFETY CABLE

Diameter 0.2in. Length 27.6in.

C155-01

SAFETY CABLE

Diameter 0.1in. Length 27.6in.

C155-03

SAFETY CABLE

Diameter 0.2in. Length 39.3in.

5/8" FEMALE ADAPTERS

All measurements shown are metric unless otherwise stated.

5/8" Indicates an external thread or stud diameter

5/8" Indicates an internal thread or socket diameter

W Whitworth thread





























5/8" MALE ADAPTERS































1" 1/8 MALE ADAPTERS













SPECIAL ADAPTERS

















SPECIAL ADAPTERS

C1000

C1005

C1100



D350



E100



E620



E610



E110



163-58F



SUPER CLAMP ADAPTERS































SWIVELING ADAPTERS

F820

5/8"

F820RH

5/8"

F820TH

5/8"

F825

5/8"

5/8"

F825RH

5/8"

5/8"

F825TH



5/8"

5/8"

F830



5/8"

5/8"

F830RH

5/8"

5/8"

F830TH

5/8"

5/8"

F831TH

5/8"

5/8"

155

1/4" W

3/8" W

155BKL



5/8"

5/8"

1/4" W

5/8"

1/4" W

3/8" W

026

1/4" W

5/8"

3/8" W

INDEX

art	description	page
013	5/8" MALE SUPER CLAMP ADAPTER	82-85
014-14	5/8" FEMALE ADAPTER	81
014-38	5/8" FEMALE ADAPTER	81
014BIM	5/8" FEMALE ADAPTER	81
014MS	5/8" FEMALE ADAPTER	81
015	SPECIAL ADAPTER	83
016	5/8" FEMALE ADAPTER	81
019	SPECIAL ADAPTER	83
019-14	SPECIAL ADAPTER	83
022	G-PESO	69
023	L-PESO	69
026	SWIVELING ADAPTER	86
027	STAND HOLDER	39-80
036-14	SUPER CLAMP ADAPTER	85
036-38	SUPER CLAMP ADAPTER	85
036I	SUPER CLAMP ADAPTER	85
036MR	SUPER CLAMP ADAPTER	85
037	SUPER CLAMP ADAPTER	85
061	SUPER CLAMP ADAPTER	85
061RA	SUPER CLAMP ADAPTER	85
066	SUPER CLAMP ADAPTER	85
066BT	SUPER CLAMP ADAPTER	85
087WBK	WIND-BRACING KIT	39
088	SPECIAL ADAPTER	83
088LBP	SPECIAL ADAPTER	83
118	5/8" MALE SUPER CLAMP ADAPTER	82-85
119	5/8" MALE SUPER CLAMP ADAPTER	82-85
143F	FORK	43
143FD	DOUBLE FIXED FORK	43
143FV	DOUBLE HINGED FORK	43
148KN	SPECIAL ADAPTER - SET OF 5	83
149	SPECIAL ADAPTER	83
151	5/8" MALE ADAPTER	82
152	5/8" FEMALE ADAPTER	81
153	5/8" FEMALE ADAPTER	81
155	SWIVELING ADAPTER	86
155BKL	SWIVELING ADAPTER	86
158	5/8" FEMALE ADAPTER	81
159	5/8" FEMALE ADAPTER	81
163-10	1" 1/8 MALE ADAPTER	83
163-12	1" 1/8 MALE ADAPTER	83
163-38	1 "1/8 MALE ADAPTER	83
163-58F	SPECIAL ADAPTER	84
169	FIVE SOCKET BRACKET	72
172	MINI COUNTERWEIGHT	69
174	SUPER CLAMP ADAPTER	85
179	5/8" FEMALE ADAPTER	81
182	5/8" MALE ADAPTER	82
184	5/8" MALE ADAPTER	82
185	5/8" MALE ADAPTER	82
186	5/8" MALE ADAPTER	82
187	5/8" MALE ADAPTER	82
188	5/8" MALE ADAPTER	82
189	5/8" FEMALE ADAPTER	81
191	5/8" MALE ADAPTER	82
192	SPECIAL ADAPTER	83
193	5/8" FEMALE ADAPTER	81
194	5/8" FEMALE ADAPTER	81
195	5/8" MALE ADAPTER	82
264	SUPER CLAMP ADAPTER	85
620-10	1" 1/8 MALE ADAPTER	83
620-12	1" 1/8 MALE ADAPTER	83
A0003	BACKLITE BABY STAND	20
A0010	BABY STAND 10	20
A0017	BABY STAND 17	20
A0025B	ALU BABY STAND 25	20
A0030B	BLACK ALU BABY STAND 30	21
A0030CS	CHROME STEEL BABY STAND 30	21
A0035B	BLACK ALU BABY STAND 35	21
A0035CS	CHROME STEEL BABY STAND 35	21
A0040B	BLACK ALU BABY STAND 40	21
A0040CS	CHROME STEEL BABY STAND 40	21
A0045B	BLACK ALU BABY STAND 45	21
A0045CS	CHROME STEEL BABY STAND 45	21
A1010CS	CHROME STEEL COMBO STAND 10	22
A1020B	BLACK ALU COMBO STAND 20	22
A1020CS	CHROME STEEL COMBO STAND 20	22
A1035B	BLACK ALU COMBO STAND 35	22
A1035CS	CHROME STEEL COMBO STAND 35	22
A1045B	BLACK ALU COMBO STAND 45	22
A1045CS	CHROME STEEL COMBO STAND 45	22
A2007	C-STAND MINI BASE	15
A2007CB	BLACK CHROME C-STAND MINI BASE	15
A2009	C-STAND BASE	15
A2009CB	BLACK CHROME C-STAND BASE	15
A2014	C-STAND COLUMN 14	15
A2014CB	BLACK CHROME C-STAND COLUMN 14	15
A2016D	C-STAND 16 DETACHABLE	14
A2016DCB	CHROME BLACK C-STAND 16 DETACHABLE	14
A2018F	C-STAND 18	13
A2018FCB	CHROME BLACK C-STAND 18	13
A2018L	C-STAND 18 SLIDING LEG	13
A2018LCB	CHROME BLACK C-STAND 18 SLIDING LEG	13
A2020	C-STAND COLUMN 20	15
A2020CB	CHROME BLACK C-STAND COLUMN 20	15
A2022D	C-STAND 22 DETACHABLE	14
A2022DCB	CHROME BLACK C-STAND 22 DETACHABLE	14
A2025F	C-STAND 25	13
A2025FCB	CHROME BLACK C-STAND 25	13
A2025L	C-STAND 25 SLIDING LEG	13
A2025LCB	CHROME BLACK C-STAND 25 SLIDING LEG	13
A2029	C-STAND COLUMN 29	15
A2029CB	CHROME BLACK C-STAND COLUMN 29	15
A2030D	C-STAND 30 DETACHABLE	14
A2030DCB	CHROME BLACK C-STAND 30 DETACHABLE	14
A2030DKIT	C-STAND KIT 30 DETACHABLE	12
A2033F	C-STAND 33	13
A2033FCB	CHROME BLACK C-STAND 33	13
A2033FKIT	C-STAND KIT 23	12
A2033L	C-STAND 33 SLIDING LEG	13
A2033LCB	CHROME BLACK C-STAND 33 SLIDING LEG	13
A2033LKIT	C-STAND KIT 33 SLIDING LEG	12
A3042CS	CHROME STEEL OVERHEAD STAND 42	36
A3043CS	CHROME STEEL OVERHEAD STAND 43 WITH BRAKED WHEELS	36
A3056CS	CHROME STEEL WIDE BASE OVERHEAD STAND 56	37
A3058CS	CHROME STEEL OVERHEAD STAND 58 WITH BRAKED WHEELS	36
A3059CS	CHROME STEEL OVERHEAD STAND 59	36
A3065CS	CHROME STEEL WIDE BASE OVERHEAD STAND 65	37
A4039CS	CHROME STEEL BOOM STAND 39	26
A4041B	BLACK ALU BOOM STAND 41	26
A4050CS	CHROME STEEL BOOM STAND 50	27
A5012	ROLLER STAND 12 FOLDING BASE	25
A5017	ROLLER STAND 17 FOLDING BASE	24
A5029	ROLLER STAND 29 LOW BASE	24
A5033	ROLLER STAND 33 FOLDING BASE	24
A5034	ROLLER STAND 34 FOLDING BASE	25
A5036CS	CHROME STEEL ROLLER STAND 36 LOW BASE	25
A5042CS	CHROME STEEL ROLLER STAND 42 LOW BASE	25
A5043	ROLLER STAND 43 LOW BASE	24
A9000	BRAKED WHEELS	22-27-39-80
A9000B	BLACK BRAKED WHEELS	22-27-39-80
AWGS200	CORDURA SAND BAG	39
AWGS202	CORDURA SAND BAG	39
B6026CS	CHROME STEEL WIND UP STAND 26	28
B6029X	STAINLESS STEEL SUPER WIND UP 29 LOW BASE	30
B6030CS	CHROME STEEL WIND UP STAND 30 LOW BASE	29
B6039CS	CHROME STEEL WIND UP STAND 39	29
B6040X	STAINLESS STEEL SUPER WIND UP 40	31
B7018	STRATO SAFE STAND 18	32
B7035CS	CHROME STEEL STRATO SAFE STAND 35	32
B7043CS	CHROME STEEL STRATO SAFE STAND 43	33
B7047CS	CHROME STEEL STRATO SAFE STAND 47	33
B7057	LONG JOHN SILVER STAND	35
B7057FF	LONG JOHN SILVER STAND WITH FOAM FILL WHEELS	35
C100	JUNIOR PIPE CLAMP WITH 28MM SOCKET	56
C1000	SPECIAL ADAPTER	84
C1005	SPECIAL ADAPTER	84
C1100	SPECIAL ADAPTER	84
C150	SWIVELING "C" CLAMP	57
C151	SWIVELING "C" CLAMP WITH M12 SCREW	57
C155	SAFETY CABLE	54-80
C-1525	SKY HOOK	55
C1550	HEAVY DUTY SUPER CLAMP	54
C155-01	SAFETY CABLE	54-80
C155-02	SAFETY CABLE	54-80
C155-03	SAFETY CABLE	54-80
C1575B	SUPER CLAMP	54
C210	BABY PIPE CLAMP WITH 16MM STUD	55
C280	STAGE CLAMP	56
C285	STAGE CLAMP WITH 16MM STUD	60
C290	STAGE CLAMP WITH 28MM STUD	60
C295	STAGE CLAMP WITH 28MM SOCKET	60
C330	FIXED BABY SIDE ARM	60
C335	FIXED JUNIOR SIDE ARM	73
C337	QUICK ACTION JUNIOR CLAMP 28MM BUSHING	73
C338	QUICK ACTION BABY CLAMP 16MM PIN	58
C339	GRAB CLAMP	58
C339BB	GRAB CLAMP WITH 16MM BUSHING	61
C339JS	GRAB CLAMP WITH 28MM TV SPIGOT	61
C339LE	GRAB CLAMP WITH LIFTING EYE	61
C3395P	GRAB CLAMP WITH SPINNING PULLEY	61
C339UH	DOUBLE GRAB CLAMP WITH UNIVERSAL HEAD	61
C345	BARREL CLAMP	61
C345K	BARREL CLAMP	59
C345KB	BARREL CLAMP	59
C4460	MP EYE COUPLER	59
C4461	MP EYE COUPLER WITH 1 1/8" TV SPIGOT	62
C4462	MP EYE COUPLER WITH 5/8" SPIGOT	62
C4463	MP EYE COUPLER WITH LIFTING RING	62
C4464	MP EYE COUPLER WITH M12 BOLT + NUT	62
C4465	MP EYE COUPLER WITH 1 1/8" BUSHING	62
C4469	MP EYE COUPLER WITH 5/8" BUSHING	62
C4470	TILT & SWIVEL MP EYE COUPLER	64
C4482	SWIVEL MP EYE COUPLER	64
C4485	SWIVEL AND TILT TRUSS SUPPORT 150-250 MP EYE COUPLER	64 64
C4486	SWIVEL AND TILT TRUSS SUPPORT 200-400 MP EYE COUPLER	64
C4560	SLIM MP EYE COUPLER	65
C4564	MP EYE COUPLER WITH M12 BOLT PLUS NUT	65
C500	PELICAN GAFFER GRIP	55
C590	CONKA BONKA	38
C595	BABY BONKA	38
C622	SMALL STEEL STAND EXTENSION	38
C624	MEDIUM STEEL STAND EXTENSION	38
C626	LONG STEEL STAND EXTENSION	38
C820	TELESCOPIC HANGER WITH STIRRUP	66
C820-0111	TELESCOPIC HANGER WITH STIRRUP	67
C822	LONG TELESCOPIC HANGER WITH STIRRUP	67
C825	TELESCOPIC HANGER WITH UNIVERSAL HEAD	67
C827	LONG TELESCOPIC HANGER WITH UNIVERSAL HEAD	67
C888ST	TELESCOPIC HANGER WITH STIRRUP	66
C888UH	TELESCOPIC HANGER WITH UNIVERSAL HEAD	66
D050	SET OF 6 BLUE T-TOPS	19
D050B	SET OF 6 BLACK T-TOPS	19
D050G	SET OF 6 GREY T-TOPS	19
D050LB	SET OF 6 LIGHT BLUE T-TOPS	19
D050R	SET OF 6 RED T-TOPS	19
D050Y	SET OF 6 YELLOW T-TOPS	19
D100	DOUBLE GRIP HEAD	18
D100B	BLACK DOUBLE GRIP HEAD	18
D200	2" 1/2 GRIP HEAD	18
D200B	BLACK 2" 1/2 GRIP HEAD	18
D210	SNAP-IN GRIP HEAD	18
D210B	BLACK SNAP-IN GRIP HEAD	18
D220	GRIP HELPER	18
D220B	BLACK GRIP HELPER	18
D230	SUPER CLAMP GRIP HEAD	18
D240	GRIP HEAD WITH SWIVEL PIN	18
D240B	BLACK GRIP HEAD WITH SWIVEL PIN	18
D244	VARIABLE FRICTION ARM	75
D250	GAG GOBO	18
D250B	BLACK GAG GOBO	18
D260	ADDA HEAD	18
D260B	BLACK ADDA HEAD	18
D300	ARTICULATED ARM WITH SPRING CLAMP	74
D301	SNAP IN ARTICULATED ARM	74
D306	ARTICULATED ARM WITH HEXAGONAL END	74
D310	MINI FLEX ARM	75
D315	MAXI FLEX ARM	75
D340	CAMERA FLEXTENTION KIT	42
D350	SPECIAL ADAPTER	84
D390	UNIVERSAL FLEXTENTION KIT	42
D400	4" 1/2 JUMBO GRIP HEAD	19-22
D400B	BLACK 4" 1/2 JUMBO GRIP HEAD	19-22
D420	JUMBO GAG GOBO	19
D420B	BLACK JUMBO GAG GOBO	19
D500	20" EXTENSION GRIP ARM	19
D500B	BLACK 20" EXTENSION GRIP ARM	19
D520	40" EXTENSION GRIP ARM	19
D520B	BLACK 40" EXTENSION GRIP ARM	19
D550	FUN GRIP ARM	19
D550B	BLACK FUN GRIP ARM	19
D560	BALL AND SOCKET FLAG ARM	43
D570	EXTENSION ARM WITH SWIVEL PIN	68
D570B	BLACK EXTENSION ARM WITH SWIVEL PIN	68
D580	UNIVERSAL ARTICULATED ARM KIT	42
D600	MINI BOOM	68
D600CB	CHROME BLACK MINI BOOM	68
D610	C-BOOM/FISHPOLE HOLDER	37
D650	JUNIOR BOOM ARM	68
D700B	COLLAPSIBLE REFLECTOR HOLDER	45
D705B	COLLAPSIBLE REFLECTOR HOLDER LONG	45
D750	40MM (1.6") TELESCOPIC POLYHOLDER	44
D800KIT	GRIP KIT	19
E100	SPECIAL ADAPTER	84
E110	SPECIAL ADAPTER	84
E200	1" 1/8 MALE ADAPTER	83
E250	5/8" MALE ADAPTER	82

art	description	page
E300	5/8" MALE ADAPTER	82
E390	5/8" FEMALE ADAPTER	81
E600	SNAP-IN PIN FOR SUPER CLAMP	19-54-85
E600C	STEEL SNAP-IN PIN FOR SUPER CLAMP	19-54-85
E610	SPECIAL ADAPTER	84
E620	SPECIAL ADAPTER	84
E650	5/8" MALE ADAPTER	85
E700	BABY DROP DOWN PIN	27
E710	JUNIOR DROP DOWN PIN	27
F100	JUNIOR OFFSET ARM 28MM PIN 28MM SOCKET	73
F1000	PUMP CUP WITH 16MM BABY SWIVEL SPIGOT	76
F1100	PUMP CUP WITH 16MM BABY FIXED SPIGOT	76
F1200	COLUMN ARM	72
F1501	30MM (1.2") POLYHOLDER	44
F1504	FOAMCORE FORK 16MM PIN	43
F1520	50MM (2") POLYHOLDER WITH SWIVEL JOINT 1" 1/8 SPIGOT	44
F1521	50MM (2") POLYHOLDER WITH 16MM SPIGOT	44
F200	JUNIOR ADJUSTABLE SIDE ARM 28MM SOCKET	72
F300	JUNIOR WALL PLATE	77
F301	BABY WALL PLATE	77
F600	BABY OFFSET ARM TWIN 16MM PIN 16MM SOCKET	73
F700	BABY SIDE ARM TWIN 16MM PIN	72
F800	3" BABY WALL PLATE	76
F805	6" BABY WALL PLATE	76
F808	9" BABY WALL PLATE	76
F809	BABY PLATE WITH 90° PIN	76
F810	BABY PLATE WITH 16MM SWIVEL SPIGOT	77
F815	BABY PLATE "T" PIN	77
F820	SWIVELING ADAPTER	86
F820RH	SWIVELING ADAPTER	86
F820TH	SWIVELING ADAPTER	86
F825	SWIVELING ADAPTER	86
F825RH	SWIVELING ADAPTER	86
F825TH	SWIVELING ADAPTER	86
F830	SWIVELING ADAPTER	86
F830RH	SWIVELING ADAPTER	86
F830TH	SWIVELING ADAPTER	86
F831TH	SWIVELING ADAPTER	86
F900	BABY TRIPLE HEADER 5X16MM PIN 16MM SOCKET	72
G100	SMALL SAND BAG	39
G200	LARGE SAND BAG	39
H1200M	MODULAR FRAME 6X6'	48
H1220EXT	MODULAR FRAME CONVERSION KIT FROM 12X12' TO 20X20'	49
H2000M	MODULAR FRAME 20X20'	48
H2006	FOLD AWAY FRAME 6X6'	46
H2008	FOLD AWAY FRAME 8X8'	46
H2012	FOLD AWAY FRAME 12X12'	46
H2508	FOLD AWAY FRAME COMPACT 8X8'	47
H2512	FOLD AWAY FRAME COMPACT 12X12'	47
H400M	MODULAR FRAME 4X4'	48
H406EXT	MODULAR FRAME CONVERSION KIT FROM 4X4' TO 6X6'	48
H408EXT	MODULAR FRAME CONVERSION KIT FROM 4X4' TO 8X8'	48
H440	LIGHTWEIGHT FRAME 4X4'	48
H600M	MODULAR FRAME 6X6'	48
H660	LIGHTWEIGHT FRAME 6X6'	48
H6BAG	FRAME BAG	48
H800M	MODULAR FRAME 8X8'	48
H806EXT	MODULAR FRAME CONVERSION KIT FROM 20X20', 12X12' AND 8X8' TO 6X6''	49
H812EXT	MODULAR FRAME CONVERSION KIT FROM 8X8F' TO 12X12'	49
H9000	D.I.Y. BUTTERFLY PIPE CORNER KIT 1" 1/2	49
H9500	D.I.Y. BUTTERFLY PIPE CORNER KIT 1" 1/4	49
I800	BLACK METAL FLAG	42
I8030CB	MOUNTING STIRRUP FOR 40" REFLECTOR BOARD	45
I810	BLACK PLASTIC FLAG	42
X400KIT	CROSSPOLE KIT	70
X401	CROSSPOLE	70
X402	CROSSPOLE	70
X404	CROSSPOLE	70
X406	CROSSPOLE	70
X406TUBE	CROSSPOLE	70

DAYLIGHT™

Via Gaspare Pacchiarotti, 132

info@daylightsrl.com

www.daylightsrl.com

0687200894